

Oleg Klesov

Limit Theorems for Multi-Indexed Sums of Random Variables

Oleg Klesov
Department of Mathematical Analysis
and Probability
National Technical University of Ukraine
“Kiev Polytechnic Institute”
Kyiv
Ukraine

ISSN 2199-3130 ISSN 2199-3149 (electronic)
ISBN 978-3-662-44387-3 ISBN 978-3-662-44388-0 (eBook)
DOI 10.1007/978-3-662-44388-0

Library of Congress Control Number: 2014945956

Mathematics Subject Classification (2010): 60F15, 60F05, 60F10, 60E15, 60E07, 60E10, 60F20

Springer Heidelberg New York Dordrecht London

© Springer-Verlag Berlin Heidelberg 2014

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law. The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Dedicated to my parents, Lidiya and Ivan

Preface

It would not be an exaggeration to say that the history of probability theory is the story of limit theorems, notably the law of large numbers, the law of small numbers and the central limit theorem. The names of Jakob Bernoulli, Abraham de Moivre, Pierre-Simon Laplace and Siméon Denis Poisson are forever linked to their pioneering limit theorems for the Bernoulli scheme and its simplest generalizations.

After these classical works, probability theory remained largely the theory of limit theorems. Invaluable contributions were made to this theory in the late nineteenth and early twentieth centuries by the outstanding Russian mathematicians P.L. Chebyshev, A.A. Markov and A.M. Lyapunov.

Limit theorems continued to be the most popular topic of probability theory in the first half of the twentieth century, the foundations of which were established by E. Borel, A.N. Kolmogorov, A.Ya. Khintchine, P. Lévy and W. Feller. It became clear in the twentieth century that the problems concerning Bernoulli trials have natural analogues which constitute a more general theory of sums of independent random variables. The monograph by B.V. Gnedenko and A.N. Kolmogorov, published in 1949, is the “final chord” in the area of research concerning the weak convergence of distribution functions related to sums of independent random variables.

The second half of the twentieth century was marked by outstanding achievements within the framework of limit problems for sums of independent random variables: many old problems were solved and new directions appeared. In particular, necessary and sufficient conditions for the law of the iterated logarithm and the strong law of large numbers with an arbitrary normalization were found, and functional limit theorems (often called invariance principles) were discovered.

Despite the undoubted achievements of the theory of limit theorems, its main problem for almost sure convergence remains unresolved, namely to find necessary and sufficient conditions for

$$P(S_n > b_n \text{ i. o.}) = 0 \quad \text{and} \quad P(S_n > b_n \text{ i.o.}) = 1$$

as well as for

$$P(S_n < b_n \text{ i.o.}) = 0 \text{ and } P(S_n < b_n \text{ i.o.}) = 1,$$

where $\{S_n\}$ is a sequence of cumulative sums of independent identically distributed random variables, $\{b_n\}$ is a sequence of real numbers, and “i. o.” abbreviates “infinitely often”. Note that the strong law of large numbers and the law of the iterated logarithm mentioned above can obviously be embedded into this setting.

The natural logic of development of limit theorems in probability theory has led to many generalizations of classical results. The first of these generalizations deals with a continuous index t instead of a discrete index n . The wealth of problems and results in this direction are not discussed here because it is virtually impossible to do so within the framework of a single monograph.

At the same time there appeared other generalizations. One of them, closely related to the theory of stochastic processes, concerns limit theorems for sums of random elements taking values in abstract linear spaces. This line of research also cannot be described in a few pages; even a simple summary of various problems and related results requires a significant amount of space.

Another generalization arose by replacing the rule of “accumulation” of random variables. The classical theory uses summation $\sum$ for this, while multiplication $\prod$ or maximum $\max$ can also be used. Each of these “substitutions” led to an independent theory with many publications. Of special interest is the case of the operation $\prod$ for random matrices instead of random variables.

Yet another generalization occurs if we drop one of the key assumptions of the classical theory, namely the condition that the terms are infinitesimal negligible. Many dozens of publications related to this topic have appeared in the past few decades.

A special place is occupied by a generalization where independent random variables are replaced by those with different schemes of dependence. This generalization has produced an almost endless stream of results and publications; hundreds of pages in the literature are devoted to various problems for dependent random variables. We will not discuss limit theorems for dependent random variables here, since even a brief listing of results would take too much space.

Instead, we will focus on a different area of limit theorems, which arises if the indices of the random variables belong to a more general space than $\mathbf{N}$ or $\mathbf{R}$, namely we study limit theorems for random variables that depend on several discrete arguments. The set of indices we are interested in is denoted by $\mathbf{N}^d$ where d is the dimension of the indices. In this case, we say that random variables depend on a *multiple index* or *multi-index*. The members of the space are denoted by $\mathbf{k}, \mathbf{m}, \mathbf{n}, \dots$

Thus we consider *multi-indexed* independent random variables and study limit theorems for them. The main focus is on almost sure convergence. Any family of random variables that depend on the indices belonging to the space $\mathbf{N}^d$ is called a *random field*.

The convergence of random fields can be defined in various ways depending on what is meant by “ $\mathbf{n} \rightarrow \infty$ ” in the case of $d > 1$. We are mostly interested in the following two modes of convergence:

$$(n_1, \dots, n_d) \rightarrow \infty \iff \min(n_1, \dots, n_d) \rightarrow \infty$$

or

$$(n_1, \dots, n_d) \rightarrow \infty \iff \max(n_1, \dots, n_d) \rightarrow \infty$$

The first is called min-convergence, while the second is called max-convergence. In a sense, min-convergence and max-convergence are respectively the weakest and strongest modes of convergence.

A brief survey of the development of the theory of limit theorems for multi-indexed sums of random variables is given in Chap. 1.

Contents of the Book

Following a “telegraphic style”, we briefly discuss, chapter by chapter, the contents of the book.

Chapter 1 is an informal introduction to the theory of limit theorems for multi-indexed sums of independent random variables. We describe what this theory is and what the main differences are between the results for $d = 1$ and $d > 1$. The chapter also contains a short history of the development of the subject over the last 50 years.

Chapter 2 contains a number of inequalities for distributions and moments of multi-indexed sums of independent random variables. There is a fundamental difference between the cases $d = 1$ and $d > 1$, which is caused by the absence of a complete ordering of the space $\mathbb{N}^d$ if $d > 1$. We describe several ways to overcome this obstacle in the proof of maximal inequalities for multi-indexed sums. The results of Chap. 2 are used throughout the book.

A classical problem concerning the set of limit distributions in the case $d > 1$ is solved in Chap. 3. We find necessary and sufficient conditions for weak convergence for both modes of convergence, min and max. Although these conditions do not differ in form, there is actually a big difference between them. We exhibit this difference in Chap. 4 when discussing the law of large numbers for both modes of convergence.

Chapter 5 studies almost sure convergence of multi-indexed series of independent random variables. An unexpected aspect of the case $d > 1$ is that the general term of a convergent series does not necessarily approach 0. In the case $d > 1$, in contrast to $d = 1$, the criterion of almost sure convergence of a series of independent terms is expressed in terms of convergence of four numerical series. In some situations, however, this result can be reduced to the classical form by using only three series.

Chapter 6 is closely related to the preceding chapter and discusses the almost sure boundedness of multi-indexed series. We note a phenomenon that occurs if $d > 1$: a convergent series is not necessarily bounded.

Chapter 7 is also related to Chap. 5 and studies the rate of convergence of multi-indexed series. Here we have a new phenomenon for $d > 1$: if a series converges, then its tails are not necessarily convergent. The converse is also true, namely the tails of a divergent series may converge.

The strong law of large numbers for multi-indexed sums of independent random variables is studied in Chap. 8. One of the unexpected obstacles is the lack of an analogue of Kronecker's lemma in the case $d > 1$, which requires new approaches and methods.

Chapter 9 continues the investigation of the strong law of large numbers under an additional assumption that the random variables are identically distributed. The general results of Chap. 8 are used. The peculiarity of the case $d > 1$ is that the strong law of large numbers may hold for some "exotic" normalizations $b(\mathbf{n})$ that have no analogues for $d = 1$. If, for example, $d = 2$, then one of those normalizations is $b(m, n) = m\sqrt{n}$.

Chapter 10 is devoted to yet another classical result, the law of the iterated logarithm. Necessary and sufficient conditions for the law of the iterated logarithm are found in the case of identically distributed random variables. We face a challenging problem when studying the law of the iterated logarithm for non-identically distributed random variables, namely the normalization is not universal for non-identically distributed random variables even if the second moments are finite; it strongly depends on the structure of the $\text{var } [S(\mathbf{n})]$.

We study the asymptotic behaviour of renewal functions and processes constructed from random walks with multi-dimensional time in Chap. 11. A new approach to the definition of renewal processes is presented. New methods for developing the results are also introduced.

The existence of moments of supremums of weighted multi-indexed sums of independent identically distributed random variables is established in Chap. 12. Some applications of these results are exhibited: we deal with new forms of the strong law of large numbers and the law of the iterated logarithm that have no analogues in the case $d = 1$.

We study so-called complete convergence in Chap. 13. The results on complete convergence are traditionally used to describe the rate of convergence in the law of large numbers and to express necessary and sufficient conditions for the strong law of large numbers and the law of the iterated logarithm. Several other applications are also known.

Some related references are given at the end of each chapter.

Appendix A discusses min-, max- and other modes of convergence in the space $\mathbf{N}^d$. In particular, all necessary notations can be found in Appendix. Various other results, definitions and notation for the space $\mathbf{N}^d$ are also given. Specific features of the case $d > 1$ and the difference between this case and $d = 1$ are discussed. In general, Appendix A is a very dense introduction to elementary analysis in the space of multi-indices $\mathbf{N}^d$. I would greatly appreciate feedback from the readers, who are invited to contact me via e-mail address klesov@matan.kpi.ua.

Acknowledgments

I was introduced to the topic of limit theorems for multi-indexed sums in 1975 by M.I. Yadrenko when I was a student in the Mechanics and Mathematics Faculty at Kyiv Taras Shevchenko University. One of the results of my student diploma was an analogue of the Kolmogorov three series theorem for almost sure convergence of multi-indexed series of independent random variables.

At that time, the graduates of the Department of Probability Theory were usually invited to deliver a talk at A.V. Skorokhod's seminar to explain their results before the official defence procedure took place. I also had a chance to deliver a talk at one of the Skorokhod seminars. During the talk it appeared to me that A.V. Skorokhod was listening with interest to what I was saying, but when I had finished, his verdict was unexpected: "... *you are using the wrong definition* ..." he said. I must confess that I did not quite understand his comment, since all the definitions used in my talk were taken from "classical" textbooks and seemed absolutely correct. I was too shy to ask Anatoly Vladimirovich what he had meant by "wrong definition". Perhaps he soon forgot the remark; but in contrast, for many years I pondered over it, trying to get closer to his opinion. In fact, several chapters of this book contain different responses to Skorokhod's remark (or rather, responses to my modern interpretation of his remark).

A little later M.I. Yadrenko suggested that I continue to study this topic and later prepare a candidate dissertation (Ph.D. thesis). Before presenting the thesis to the Academic Council of the Mechanics and Mathematics Faculty, Michael Iosifovich sent me to Leningrad to deliver a talk at V.V. Petrov's well-known seminar. It was there that I felt for the first time that my topic was of interest to people other than myself and my thesis supervisor. At the seminar, I met Alexander Martikainen and Thomas Mikosh who became (and still are, I believe) my best friends and colleagues. After the talk, Valentin Vladimirovich Petrov gave me a lot of time to discuss existing results and further generalizations. On behalf of the so-called *leading organization* he sent a positive report on my thesis to the Academic Council.

At that time, the rule was that three reports were necessary for the defence. One should come from the *leading organization* (Leningrad University in my case) and the other two should be given by the so-called “official opponents” chosen by the Academic Council. A.Ya. Dorogovtsev and V.V. Buldygin had been chosen to serve as official opponents for the defence of my thesis in January 1981. Anatoly Yakovlevich in his speech noted, among other things, that the results of the thesis ought to constitute a larger volume and that the author should publish a book. I did not even try to implement his advice, because my guess was that there were too many obstacles to publish a book in the Soviet Union. Only now am I ready to come back to his idea, but the current version of the book has almost nothing common with what I would have published at that time.

Valeriy Vladimirovich was much more emotional in his speech at the defence procedure and also advised me to continue scientific investigations on this topic. Since then, I have repeatedly discussed various aspects of limit theorems with him. Much later, it was he who insisted that I should also defend my doctoral dissertation (habilitation). My opinion at that time was that the habilitation was not necessary for me, but now I am grateful to him for his persistence in implementing the idea.

There were three “official opponents” for a defence of any doctoral dissertation, A.V. Ivanov, Yu.V. Kozachenko and A.I. Martikainen in my case. From their reports, I realized that the text of my dissertation was not only far from perfect, but also that some of the results deserve attention. Since then, I have revised the text (and, I hope, improved it) and now convey it to the readers.

I also wish to acknowledge other colleagues with whom I have discussed some of the ideas and results of this book, namely Paul Doukhan, Istvan Fazekas, Makhamat Gafurov, Allan Gut, Karl-Heinz Indlekofer, Imre Kátaí, Deli Li, Andrew Rosalsky, Zdzislaw Rychlik, Josef Steinebach and Ulrich Stadtmüller. My scientific discussions with them had a great (permanent and stimulating) effect on my work in this monograph.

I sincerely appreciate the creative communications and useful scientific discussions with all of my colleagues mentioned above. I take this opportunity to express my sincere gratitude to all of them.

Contents

1	Some Remarks on the Theory of Limit Theorems for Multi-Indexed Sums	1
1.1	Is It True That All Results for Multi-Indexed Sums Follow From Their Classical Counterparts?	1
1.2	Is It True That All Classical Methods Apply in the Proofs for Multi-Indexed Sums?	2
1.3	Is It True That Any Classical Method Can Be Used in the Case of Multi-Indexed Sums?	4
1.4	Is It True That the Classical Ideas Are Suitable for Multi-Indexed Sums?	5
1.5	Is It True That the Classical Conditions Are Suitable for Multi-Indexed Sums?	5
1.6	Is It True That the Classical Constants Do not Change in the Case of Multi-Indexed Sums?	6
1.7	Some Classical Results Do not Have Counterparts for Multi-Indexed Sums.	8
1.8	Some Results for Multi-Indexed Sums Do not Have Counterparts in the Classical Case.	9
1.9	Some History of the Theory of Limit Theorems for Multi-Indexed Sums.	10
1.9.1	First Stage	10
1.9.2	Second Stage	12
1.10	Comments	15
1.10.1	Books Devoted to Limit Theorems	15
1.10.2	Monographs Devoted to Random Fields	15

2	Maximal Inequalities for Multi-Indexed Sums of Independent Random Variables.	17
2.1	Estimates for Moments of Multi-Indexed Sums.	18
2.1.1	The Bahr–Esseen and Dharmadhikari–Jogdeo Inequalities	19
2.1.2	Rosenthal’s Inequality	21
2.1.3	The Marcinkiewicz–Zygmund Inequality	21
2.1.4	Skorokhod’s Inequality	22
2.2	Maximal Inequalities for Distributions of Multi-Indexed Sums	24
2.2.1	A Generalization of Petrov’s Inequality	24
2.2.2	Lévy’s Inequality	28
2.2.3	Ottaviani’s Inequality	30
2.2.4	Kolmogorov’s Inequality for Probabilities	31
2.3	Maximal Inequalities	33
2.3.1	A Generalization of Kolmogorov’s Inequality for Moments	33
2.4	A Generalization of the Hájek–Rényi Inequality	36
2.4.1	First Method	36
2.4.2	Second Method	36
2.4.3	The Hájek–Rényi Inequality for some Classes of Dependent Random Variables.	40
2.5	Comments	46
3	Weak Convergence of Multi-Indexed Sums of Independent Random Variables	49
3.1	Main Definitions for Multi-Indexed Sums	50
3.2	Limit Laws in the Scheme of Series	51
3.2.1	The Case $d = 1$	52
3.2.2	The Case of (d, r) -Series	52
3.2.3	Centered Sums	54
3.3	Conditions for Weak Convergence to a Given Infinitely Divisible Law	55
3.4	Weak Convergence of Cumulative Sums	58
3.4.1	The Case $d = 1$	58
3.4.2	Urbanik Classes	61
3.4.3	The Case $d > 1$	62
3.4.4	Lévy–Khintchine Classes for $d > 1$.	62
3.4.5	Feller Classes for $d > 1$.	65
3.5	Weak Convergence of Cumulative Sums of Identically Distributed Random Variables	66
3.6	Comments	75

4	The Law of Large Numbers for Multi-Indexed Sums of Independent Random Variables.	77
4.1	The Law of Large Numbers in the Scheme of Series.	79
4.2	The Law of Large Numbers for Cumulative Sums	84
4.3	The Law of Large Numbers for Multi-Indexed Sums of Independent Identically Distributed Random Variables.	88
4.4	The Law of Large Numbers for Multi-Indexed Sums of Independent Identically Distributed Random Variables with the Marcinkiewicz–Zygmund Normalization	89
4.5	Comments	98
5	Almost Sure Convergence of Multi-Indexed Series	101
5.1	Equivalence of Four Types of Convergence	102
5.2	The Three Series Theorem for Multi-Indexed Sums	106
5.3	The Four Series Theorem.	110
5.3.1	The Two Series Theorem.	111
5.3.2	Proofs	112
5.4	Convergence of Series of Weighted Independent Identically Distributed Random Variables	116
5.5	Essential Convergence	124
5.6	Convergence of Multi-Indexed Series on Subsets	125
5.7	Convergence of Permutations	126
5.8	A Generalization of a Theorem of Chung	128
5.9	Comments	130
6	Boundedness of Multi-Indexed Series of Independent Random Variables	131
6.1	Definitions and Auxiliary Results	132
6.2	Equivalence of Convergence and Boundedness in Probability of Series of Symmetric Terms	138
6.2.1	Sums of Independent Symmetric Random Variables	138
6.2.2	Sums of Weighted Independent Identically Distributed Random Variables	141
6.3	Skorokhod's Decomposition of a Bounded Series	142
6.4	Conditions for the Almost Sure Boundedness of Multi-Indexed Sums	143
6.5	Bounded Convergence of Multi-Indexed Series.	146
6.6	Moments of the Supremum of Multi-Indexed Sums.	147
6.7	Comments	153
7	Rate of Convergence of Multi-Indexed Series	155
7.1	The Case $d = 1$	155
7.2	The Case $d \geq 1$.	156

7.3	Almost Sure Convergence of All Tails of a Multi-Indexed Series.	157
7.4	The Doob–Bahr–Esseen Inequality for Tails.	161
7.5	The Hájek–Rényi Inequality for Tails	164
7.6	The Strong Law of Large Numbers for Tails of a Multi-Indexed Series.	168
7.6.1	Rate of Convergence for $d = 1$	170
7.7	The Law of the Iterated Logarithm for Tails of a Series.	171
7.8	Comments	178
8	The Strong Law of Large Numbers for Independent Random Variables	179
8.1	A Necessary Condition for the Strong Law of Large Numbers.	180
8.2	Generalizations of Kolmogorov’s Theorem.	181
8.2.1	The Field $\{b(n)\}$	181
8.2.2	The Sets A_t	181
8.2.3	The Majorizing Field $\{\lambda(n)\}$	182
8.2.4	The General Form of the Strong Law of Large Numbers.	183
8.3	Kolmogorov’s Strong Law of Large Numbers	186
8.3.1	Optimality of Kolmogorov’s Conditions	187
8.3.2	Kolmogorov’s Condition is not Optimal	189
8.4	The Marcinkiewicz–Zygmund Strong Law of Large Numbers.	191
8.4.1	Remarks and Examples	191
8.5	Chung’s Strong Law of Large Numbers.	193
8.5.1	Remarks and Examples	194
8.6	The Brunk–Prokhorov Strong Law of Large Numbers.	197
8.6.1	Cumulative Sums	197
8.6.2	Multi-Indexed Sums	202
8.6.3	Remarks and Examples	205
8.7	The Teicher–Egorov Strong Law of Large Numbers	210
8.8	Sets Determining the Strong Law of Large Numbers.	214
8.8.1	Sets Determining the Strong Law of Large Numbers for Multi-Indexed Sums	215
8.8.2	Some Applications	219
8.9	Comments	219
9	The Strong Law of Large Numbers for Independent Identically Distributed Random Variables	223
9.1	A Generalization of Feller’s Theorem	225
9.2	Proof of the Generalized Feller Theorem	227

9.3	The Strong Law of Large Numbers for the Marcinkiewicz–Zygmund Normalizing Field	235
9.4	The Strong Law of Large Numbers for Indices in a Restricted Domain	246
9.4.1	Sectors with Curvilinear Boundaries	247
9.4.2	Corollaries to Theorem	256
9.4.3	Proof of Proposition	258
9.5	Comments	261
10	The Law of the Iterated Logarithm	265
10.1	The Classical Law of the Iterated Logarithm	265
10.2	Kolmogorov’s Law of the Iterated Logarithm for Multi-Indexed Sums	268
10.3	The Law of the Iterated Logarithm for Multi-Indexed Sums of Weighted Independent Identically Distributed Random Variables.	276
10.4	Corollaries of the Law of the Iterated Logarithm.	293
10.4.1	The Chow–Teicher Condition.	294
10.4.2	The Martikainen Condition	296
10.4.3	A Relationship Between Kolmogorov’s and Egorov’s Conditions	299
10.4.4	A Relationship Between Petrov’s Condition and the Law of the Iterated Logarithm.	301
10.5	Chover’s Law of the Iterated Logarithm for Multi-Indexed Sums.	302
10.6	Comments	305
11	Renewal Theorems for Random Walks with Multi-Dimensional Time	307
11.1	Some Renewal Theory for $d = 1$	307
11.1.1	An Insurance Model	307
11.1.2	Asymptotic Behavior of Renewal Functions and Processes.	308
11.2	An Example for $d > 1$	308
11.3	Definition and Properties of Renewal Processes and Functions.	310
11.4	Asymptotic Behavior of Renewal Functions Constructed from Multi-Indexed Sums	313
11.5	The Asymptotic Behavior of Renewal Processes Constructed from Multi-Indexed Sums.	324
11.5.1	Duality in the Case $d = 1$	324
11.5.2	The Bound r_0 for the Rate of Convergence	325
11.5.3	The Asymptotic Behavior of Renewal Processes for $d > 1$	326
11.6	Comments	331

12 Existence of Moments of Suprema of Multi-Indexed Sums and the Strong Law of Large Numbers	333
12.1 The Existence of Moments of Multi-Indexed Sums for the Marcinkiewicz–Zygmund Normalization	335
12.2 A Generalized Strong Law of Large Numbers	343
12.2.1 The Strong Law of Large Numbers in the Space c_0 . . .	345
12.3 Moments of the Supremum and the Law of the Iterated Logarithm	347
12.4 A Generalized Law of the Iterated Logarithm.	348
12.5 Comments	351
13 Complete Convergence	353
13.1 Necessary Conditions for Complete Convergence	355
13.1.1 Necessary Conditions for Weight Coefficients	355
13.1.2 Necessary Conditions for Distributions of Random Variables.	358
13.2 Sufficient Conditions for Complete Convergence	361
13.3 Sufficient Conditions for Complete Convergence of Sums with Random Indices	368
13.3.1 Gut’s Theorem	369
13.3.2 The Case $\alpha r > 1$	370
13.3.3 The Baum–Katz Theorem	372
13.3.4 The Case $\alpha r = 1$	373
13.4 Complete Convergence of Sums with Non-random Indices. . .	380
13.4.1 Series with Repeating Terms	381
13.4.2 The Case of a Subsequence	383
13.4.3 The Asmussen–Kurtz Conjecture	384
13.4.4 Deli’s Example.	385
13.5 Complete Convergence of Multi-Indexed Sums	387
13.5.1 More General Multi-Indexed Series.	390
13.6 The Asymptotic Behavior of Series of Large Deviation Probabilities with Respect to a Small Parameter	392
13.6.1 Asymptotic Behavior of Multi-Indexed Series.	392
13.6.2 Rate of Convergence in Heyde’s Theorem	399
13.7 Comments	403
Appendix A: Auxiliary Definitions and Results	405
References.	461
Index	479

Metadata of the chapter that will be visualized in SpringerLink

Book Title	Limit Theorems for Multi-Indexed Sums of Random Variables	
Series Title		
Chapter Title	Some Remarks on the Theory of Limit Theorems for Multi-Indexed Sums	
Copyright Year	2014	
Copyright HolderName	Springer-Verlag Berlin Heidelberg	
Corresponding Author	Family Name	Klesov
	Particle	
	Given Name	Oleg
	Prefix	
	Suffix	
	Division	Department of Mathematical Analysis and Probability
	Organization	National Technical University of Ukraine “Kiev Polytechnic Institute”
	Address	Kyiv, Ukraine
	Email	klesov@matan.kpi.ua
Abstract	There exists an (unjustified) point of view that all limit theorems for multi-indexed sums are straightforward consequences of the corresponding classical results for cumulative sums and thus the case of multi-indices is non-independent. We shortly discuss this controversial claim. First we consider in more detail one of the results for multi-indexed sums that indeed follows easily from its classical counterpart (this is an example that supports the above mentioned point of view). Then we explain why this is not a universal phenomenon.	